1978 ANNUAL INDEXES

Textile Research Journal
Volume 48

AUTHOR AND TITLE INDEX, pp. 733–737 **SUBJECT INDEX, pp. 737–741**

MONTH	PAGES	MONTH	PAGES
January	1–60	July	371–432
February	61–122	August	433–494
March	123–184	September	495–556
April	185–246	October	557–618
May	247–308	November	619–680
June	309–370	December	681–742

AUTHOR AND TITLE INDEX

Abou-Zeid, N. Y. Studies on Cellulose Carbamate. Part I: Reaction of Cellulose Carbamate with Aromatic Amines (*Hebeish, Waly, El-Alfy*) . . . 468
Abou Steet, Y. Z. Phosphorylation of Nylon 6 (*El Garf, El Mehy, Morsi*) . . . 550
Alger, Kenneth W. The Effect of Tetrakis (hydroxymethyl) phosphonium Chloride (THPC) on Photo-Induced Vapor-Phase Grafting of Monomers on Wool and on the Subsequent Properties of the Grafted Wood (*Needles, Tai*) . . . 123
Andrews, B. A. Kottes Catalysts from Aluminum Alums in Crosslink Finishing (*Frick*) . . . 50
Anton, A. Characterization of Fabric Luster *via* Image Analysis (*Johnson, Jansson*) . . . 247
Asquith, Raymond S. The Estimation of the Covalent Chlorotriazinyl Dye-Wool Interaction (*Kwok, Otterburn*) . . . 1
Ateya, K. Optimization of Dyestuff Fixation of Cellulosic Prints Under Saturated Steam Conditions (*von Orelli*) . . . 616

Backer, Stanley Observations of Deformation and Failure Processes in Fiber-Loop Tests (*Smith, Lau*) . . . 104
Mechanics of Texturing Thermoplastic Yarns. Part VI: Transient Mechanics of Draw Texturing (*Brookstein*) . . . 198
Part VII: Cyclic Behavior During Pin-Spindle False-Twist Texturing (*Bell*) . . . 722
Bag, S. C. The Luster of Jute Fiber in Relation to Its Fine Structure (*Ray*) . . . 710
Balasubramanian, N. Translation of Strength from Single Yarn to Two-Fold Yarn and from Multiple Strands to Fabric with Polyester, Cotton, and Polyester/Cotton Blends (*Ravindranathan*) . . . 389
Barella, A. Utilizing Mini-Computers to Predict Yarn Performance in the Open-End Staple Viscose Spinning Process (*Vigo*) . . . 473
Bargeron, J. D., III Spinning Performance and Yarn Properties of Cotton-Polyester Blends (*Perkins, Mullikin, Ross*) . . . 44
Bateup, Brett O. Multifunctional Amino-Terminated Polyurethanes: Their Preparation and Use as Crosslinkers in Shrink-Resist Polymers for Wool (*Fleischfresser*) . . . 417
Bell, Charles E. Mechanics of Texturing Thermoplastic Yarns. Part VII: Cyclic Behavior During Pin-Spindle False-Twist Texturing (*Backer*) . . . 722
Bendak, A. Studies on Feltproofing of Wool with a Copper Sulfate-Hydrogen Peroxide System (*Kantouch, Sadek*) . . . 523
Studies on the Shrink-Resist Treatment of Wool with Potassium Permanganate (*Kantouch, Sadek*) . . . 619
Bendit, E. G. Properties of the Matrix in Keratins. Part I: The Compression Testing Technique (*Kelly*) . . . 674
Part II: The "Hookean" Region in the Stress-Strain Curve of Keratins . . . 717
Beninate, J. V. Evaluation of the Flammability of THPOH-NH_3-Treated Wool and Wool/Cotton Blend Fabrics by Vertical-Flame-Test Standards (*Drake*) . . . 554
Berni, Ralph J. Chemical Composition of Cotton-Processing Dusts (*Brown, Wall, Tripp*) . . . 355
Bertoniere, Noelie R. Prepolymers of Chloroalkyl Phosphonates and Polyethylenimines as Flame Retardants for Cotton-Containing Fabrics (*Rowland*) . . . 385
N-Methylolpolyethyleneureas—Reagents Yielding Durable-Press Cotton Fabrics with Improved Retention of Strength-Abrasion Resistance (*Black, Rowland*) . . . 664
Bhat, N. V. Effect of Nitrogen Plasma on the Morphology and Allied Textile Properties of Tasar Silk Fibers and Fabrics (*Nadiger*) . . . 685
Bhatt, V. R. Effect of Construction and Weave on Some Mechanical Properties of Untreated and Resin-Treated Cotton Fabrics (*Mehta, Gupta, Somashekar, Modi, Malatesh*) . . . 512
Bhattacharya, T. K. Changes in Molecular Size and Size Distribution and Their Effects on Mechanical Properties of Nylon-6 Yarns During Texturizing (*Mukherjee, Sengupta*) . . . 261
Mechano-Chemical Effects During Texturization of Nylon 6 (*Sengupta, Mukherjee*) . . . 325
Bittencourt, E. Electron Beam Fixation of a Flame Retardant Applied Without Water by Coating Methods. Fabric Properties and Bilateral Distribution of the Flame Retardant in the Cotton Fibers (*Ennis, Walsh*) . . . 657
Black, Mildred K. N-Methylolpolyethyleneureas—Reagents Yielding Durable-Press Cotton Fabrics with Improved Retention of Strength-Abrasion Resistance (*Bertoniere, Rowland*) . . . 664
Blackwell, John The Morphology of Regenerated Cellulose (*Kolpak*) . . . 458
Blouin, Florine A. Polymerization-Crosslinking of N-Methylolacrylamide in Cotton Fabric (*Rowland, Mason*) . . . 73
Brookstein, David Mechanics of Texturing Thermoplastic Yarns. Part VI: Transient Mechanics of Draw Texturing (*Backer*) 198
Brown, David F. Chemical Composition of Cotton-Processing Dusts (*Wall, Berni, Tripp*) . . . 355
Brown, Peter A Preliminary Study of the Fiber-Length Distribution in Fly Produced During the Weft Knitting of Cotton Yarns . . . 162
Measurement of Single Jersey Fabric Stiffness: A Simple Method 295
The Dimensions of 1X1 Rib Fabrics. Part I: Literature Survey (*Poole*) . . . 339
Part II: Blend and Treatment Interactions (*Poole*) . . . 371
Buchanan, David R. The Effect of Reactive Dyes on the Flammability and Physical Properties of Polyester/Cotton Fabrics (*Hopkins*) . . . 348

Cantatore, Giuseppe Recent Progress in the Stabilization of Polypropylene Fibers (*Tozzi, Masina*) . . . 433
Carlsson, D. J. Chromic Acid Etching of Polypropylene Filaments (*Garton, Wiles*) . . . 115
Carnaby, G. A. A Simple Technique for Measuring the Textural Properties of Carpets (*Thomas*) . . . 234
Cashen, Norton A. Ammoniation of Wet Fabric in the THPOH-NH_3 Process (*Harper, Verburg*) . . . 536
Cates, David M. Sorption of Solubilized Water by Cellulose from Perchloroethylene (*Wentz*) . . . 166

Abnormal Densities Obtained by Liquid Crystallization of Thin Poly(Ethylene Terephthalate) Films (*Lawton*) 478
Chaudhry, A. K. Studies on Texturing of α and γ Forms of Nylon 6 (*Gulrajani, Sengupta, Subramaniam*) 411
Chen, J. C. Fiber Crimp Characterization by Image Analysis (*Sawyer*) 244
Cheung, P. S. R. Implications of Monosaccharides in Sticky-Cotton Processing. Part II: Effects of Growing Conditions on Fiber Contaminants (*Roberts, Perkins*) 91
Clark, David B. Liquid Transport Through Fabrics; Wetting and Steady-State Flow. Part I: A New Experimental Approach (*Miller*) 150
Part II: Fabric Wetting (*Miller*) 256
Clark, F. R. S. Rapid Quantitative Microanalysis of Multicomponent Fiber Mixtures in Fabrics (*Lambert, Mercier*) . . . 442
Constant, L. A. Equilibrium Measurements for the Reactions of Phosphorus Amides with Formaldehyde (*Pepperman, Vail*) 557
Costanza, P. A. Electrical Stimulation of Fabric Filtration. Part II: Mechanism of Particle Capture and Trials with a Laboratory Baghouse (*Lamb, O'Meara*) 566
Creely, J. J. X-Ray Diffraction, Thermal, and Physical Studies of Complexes of Cellulose with Secondary Diamines (*Wade, French*) 37
Complexes of Cellulose with Cyclic Amines and Diamines (*Wade*) 335
Crewther, W. G. Sequence Homologies in Helical Segments from α-Keratin (*Gough, Inglis, McKern*) 160

Danna, G. Forthright Permox—A Hydrogen Peroxide-Zinc Acetate Antibacterial Finish for Cotton (*Vigo, Welch*) . . . 173
Das, T. K. Hydrophilicity of Textile Fibers (*Madan, Dave, Sarma*) 662
Dave, A. M. Hydrophilicity of Textile Fibers (*Madan, Das, Sarma*) 662
Davis, H. L. A Continuous Monitor of Yarn Uniformity During Melt Spinning (*Gorman, Wesley*) 329
Day, M. Photochemical Deterioration of Flame-Retarded Polyester Fabrics. Part I: Effect of Xenon-Arc Irradiation on the Physical Properties (*Wiles*) 32
de Boer, J. J. The Differences in Morphology and Tensile Properties Between the Fibers of *Gossypium hirsutum* and *Gossypium barbadense* 185
de Jong, S. A General Energy Analysis of Fabric Mechanics Using Optimal Control Theory (*Postle*) 127
DeLuca, Lloyd B. The Removal of Dust and Trash from Cotton Sliver by Segmental Drafting 343
Drake, G. L., Jr. Evaluation of the Flammability of THPOH-NH_3-Treated Wood and Wool/Cotton Blend Fabrics by Vertical-Flame-Test Standards (*Beninate*) 554
Dweltz, N. E. A SEM Study of Abrasion Damage to Cotton Fibers (*Sparrow*) 633

El-Alfy, E. A. Studies on Cellulose Carbamate. Part I: Reaction of Cellulose Carbamate with Aromatic Amines (*Hebeish, Waly, Abou-Zeid*) 468
El Garf, S. A. Phosphorylation of Nylon 6 (*El Mehy, Abou Steet, Morsi*) 550
Ellison, M. S. Breaking-Twist Angle and Crosslinking in Wool Fibers Under Alkaline Conditions as a Function of Temperature (*Lundgren*) 692
El Mehy, A. A. Phosphorylation of Nylon 6 (*El Garf, Abou Steet, Morsi*) 550
Ennis, J. Electron Beam Fixation of a Flame Retardant Applied Without Water by Coating Methods. Fabric Properties and Bilateral Distribution of the Flame Retardant in the Cotton Fibers (*Bittencourt, Walsh*) 657
Evans, Neil A. The Effect of Phenylbenzotriazole Derivatives on the Photoyellowing of Wool (*Waters*) 251

Faucher, J. A. Desorption of a Cationic Polymer from Human Hair: Surfactant and Salt Effects (*Hannan, Goddard*) 57
Feldtman, H. D. Adsorption of Polyacrylate Latex on Wool (*Fleischfresser*) 277
Feughelman, M. The Microfibril-Matrix Relationships in the Mechanical Properties of Keratin Fibers. Part I: The Torsional Properties of "Melted" and Permanently-Set Keratin Fibers 518
Fleischfresser, B. E. Adsorption of Polyacrylate Latex on Wool (*Feldtman*) 277
Multifunctional Amino-Terminated Polyurethanes: Their Preparation and Use as Crosslinkers in Shrink-Resist Polymers for Wool (*Bateup*) 417
Fransen, T. Comments on: "The Ideal Cotton Fiber Strength and its Relation to Observed Strength, Maturity, and Fineness" (*Verschraege, Raes*) 431
French, A. D. X-Ray Diffraction, Thermal, and Physical Studies of Complexes of Cellulose with Secondary Diamines (*Creely, Wade*) 37
Frick, J. G., Jr. Catalysts from Aluminum Alums in Crosslink Finishing (*Andrews*) 50

Gale, Douglas J. Fiber-Reactive Polymethine Dyes Containing the *N*-2,3-Dibromopropionyl and *N*-Chlorodifluropyrimidyl Groups (*Wilshire*) 548
Garton, A. Chromic Acid Etching of Polypropylene Filaments (*Carlsson, Wiles*) 115
Gentry, David R. The Dimensional Stability of Carpets in Installations. Part II: Stability to Change in Ambient Humidity 156
Gibson, Viki L. An Analysis of the Bending and Shear Properties of Woven, Double-Knitted, and Warp-Knitted Outerwear Fabrics (*Postle*) 14
Giles, Charles H. A Study of the Physical State of Some Water-Soluble Dyes in Cellulose by *p*-Nitrophenol Adsorption (*Haslam*) 490
Goddard, E. D. Desorption of a Cationic Polymer from Human Hair: Surfactant and Salt Effects (*Hannan, Faucher*) . . . 57
Goldin, M. The Effect of Primary Heater Temperature and Dye Energy on Fabric Dye Uniformity 191
Gorman, F. J. A Continuous Monitor of Yarn Uniformity During Melt Spinning (*Davis, Wesley*) 329
Gough, K. H. Sequence Homologies in Helical Segments from α-Keratin (*Crewther, Inglis, McKern*) 160
Graham, John S. Development of a Method to Measure Cotton Spinnability (*Taylor*) 286
Guise, G. Bruce Shrink-Resisting Wool with Poly(Dimethylsiloxane)-α,ω-Diols and Aminofunctional Silane Crosslinking Agents. Part I: Influence of Silicone Molecular Weight (*Jones*) 652
Part II: Influence of Crosslinking Agent Structure (*Jones*) . . 705
Gulrajani, M. L. Studies on Texturing of α and γ Forms of Nylon 6 (*Sengupta, Subramaniam, Chaudhry*) 411
Gupta, D. P. The Mechanical Properties of Textured Polyethylene Terephthalate Yarn (*Gupta, Mittal*) 446
Gupta, K. C. Effect of Construction and Weave on Some Mechanical Properties of Untreated and Resin-Treated Cotton Fabrics (*Mehta, Bhatt, Somashekar, Modi, Malatesh*) 512
Gupta, V. B. A Nonlinear Viscoelastic Model for Textile Fibers (*Kumar*) 429
The Mechanical Properties of Textured Polyethylene Terephthalate Yarn (*Gupta, Mittal*) 446

Hafez, Osman M. A. Yarn-Strength Prediction of American Cottons 701
Hannan, R. B. Desorption of a Cationic Polymer from Human Hair: Surfactant and Salt Effects (*Goddard, Faucher*) . . . 57
Harper, Robert J., Jr. Ammoniation of Wet Fabric in the THPOH-NH_3 Process (*Verburg, Cashen*) 536
Haslam, Ronald A Study of the Physical State of some Water-Soluble Dyes in Cellulose by *p*-Nitrophenol Adsorption (*Giles*) 490
Haylock, J. C. Studies on the Ozone Fading of Anthraquinone Dyes on Nylon Fibers. Part II: In-Service Performance (*Rush*) 143
Hearle, J. W. S. SI Units 305
Characterizing the Elastic Behavior of Textile Fabrics in Complex Deformations (*Shanahan, Lloyd*) 495
Hebeish, A. Studies on Cellulose Carbamate. Part I: Reaction of Cellulose Carbamate with Aromatic Amines (*Waly, Abou-Zeid, El-Alfy*) 468
Heuvel, H. M. Ozone Fading of Disperse Blue 3 on Nylon 6 Fibers. The Influence of Physical Fiber Properties (*Huisman, Schmidt*) 376
Hobart, Stanley R. Burning Rates of Layered Combinations of Flame-Retardant and Untreated Cotton (*Rowland*) 437
Hopkins, Donna L. The Effect of Reactive Dyes on the Flammability and Physical Properties of Polyester/Cotton Fabrics (*Buchanan*) 348
Huang, N. C. On the Finite Extension of a Viscoelastic Two-Ply Filament Yarn 61
Huisman, R. Ozone Fading of Disperse Blue 3 on Nylon 6 Fibers. The Influence of Physical Fiber Properties (*Heuvel, Schmidt*) 376

Iemoto, Yoshiyuki Weft Insertion by Water Jet. Part I: Flow Velocity and Configuration of the Jet in the Vicinity of the Nozzle Exit (*Kimura*) 604
Part II: Driving Force on a Weft in the Vicinity of the Nozzle Exit (*Kimura*) 646
Inglis, A. S. Sequence Homologies in Helical Segments from α-Keratin (*Crewther, Gough, McKern*) 160

Jackson, Robert H. PBI Fiber and Fabric—Properties and Performance 314
Jansson, P. A. Characterization of Fabric Luster *via* Image Analysis (*Anton, Johnson*) 247
Johnson, K. A. Characterization of Fabric Luster *via* Image Analysis (*Anton, Jansson*) 247
Jones, F. William Shrink-Resisting Wool with Poly(Dimethylsiloxane)-α,ω-Diols and Aminofunctional Silane Crosslinking Agents. Part I: Influence of Silicone Molecular Weight (*Guise*) 652

Part II: Influence of Crosslinking Agent Structure (*Guise*) . . 705

Kalayanaraman, A. R. Studies on the Orientation of Cotton Fibers Under Stress. Part I: Preliminary Studies 366
Part II: The Behavior of the Spiral Angle and the 50% X-Ray Angle 582
Kantouch, A. Studies on Feltproofing of Wool with a Copper Sulfate-Hydrogen Peroxide System (*Bendak, Sadek*) 523
Studies on the Shrink-Resist Treatment of Wool with Potassium Permanganate (*Bendak, Sadek*) 619
Kawamura, K. Torsional Rotation of Cotton Fibers Caused by Changing Ambient Humidity (*Tsuji, Shimada, Nakao*) . . . 453
Kelly, M. Properties of the Matrix in Keratins. Part I: The Compression Testing Technique (*Bendit*) 674
Khan, A. H. Determination of Dye on Textile Fibers. Part I: Disperse Dyes on Polyetheylene Terephthalate (*Madan*) . . 481
Kimura, Satoo Weft Insertion by Water Jet. Part I: Flow Velocity and Configuration of the Jet in the Vicinity of the Nozzle Exit (*Iemoto*) 604
Part II: Driving Force on a Weft in the Vicinity of the Nozzle Exit (*Iemoto*) 646
Kissa, Erik Kinetics and Mechanisms of Detergency. Part II: Particulate Soil 395
Knapton, J. J. F. Factors Influencing the Exact Replication of Double-Knit Fabrics. Part II: Textured Polyester Fabrics (*Little, Leaf*) 400
Kolpak, Francis J. The Morphology of Regenerated Cellulose (*Blackwell*) 458
Komori, Takashi Estimation of Fiber Orientation and Length in Fiber Assemblies (*Makishima*) 309
Kullman, Russell M. H. Aluminum Salt Catalysts in Durable-Press Finishing Treatments (*Reinhardt*) 320
Kumar, Satish A Nonlinear Viscoelastic Model for Textile Fibers (*Gupta*) 429
Kwok, Wang-Fun The Estimation of the Covalent Chlorotriazinyl Dye-Wool Interaction (*Asquith, Otterburn*) 1

Lamb, G. E. R. Electrical Stimulation of Fabric Filtration. Part II: Mechanism of Particle Capture and Trials with a Laboratory Baghouse (*Costanza, O'Meara*) 566
Rotating Knife-Edge Crimping (*Li, Oswald, Prevorsek*) 591
Lambert, P. Rapid Quantitative Microanalysis of Multicomponent Fiber Mixtures in Fabrics (*Clark, Mercier*) 442
Lau, Edmund K. Observations of Deformation and Failure Processes in Fiber-Loop Tests (*Smith, Backer*) 104
Lawton, E. L. Abnormal Densities Obtained by Liquid Crystallization of Thin Poly(Ethylene Terephthalate) Films (*Cates*) 478
Leaf, G. A. V. Factors Influencing the Exact Replication of Double-Knit Fabrics. Part II: Textured Polyester Fabrics (*Little, Knapton*) 400
Leaver, I. H. Photo-Oxidation Mechanisms in Wool. A Study of the Photoprotective Effect of a Thiourea/Formaldehyde Treatment 610
Lee, Joung Ryul Effects of Processing Variables on the Properties of Cotton Knitting Yarns (*Ruppenicker*) 27
Li, H. L. Rotating Knife-Edge Crimping (*Oswald, Prevorsek, Lamb*) 591
Little, T. J. Factors Influencing the Exact Replication of Double-Knit Fabrics. Part I: All-Wool Fabric 361
Part II: Textured Polyester Fabric (*Leaf, Knapton*) 400
Lloyd, D. W. Characterizing the Elastic Behavior of Textile Fabrics in Complex Deformations (*Shanahan, Hearle*) 495
Louis, Gain L. Determining Open-End Yarn Twist by the Striped Yarn Method 293
Lundgren, H. P. Breaking-Twist Angle and Crosslinking in Wool Fibers Under Alkaline Conditions as a Function of Temperature (*Ellison*) 692

Madan, G. L. Determination of Dye on Textile Fibers. Part I: Disperse Dyes on Polyethylene Terephthalate (*Khan*) . . . 481
Hydrophilicity of Textile Fibers (*Dave, Das, Sarma*) 662
Maerker, Gerhard Acylation of Cotton Fabric with Isopropenyl Stearate (*Silbert, Serota, Palm, Phillips*) 422
Maji, M. R. Comments on: "The Effect of Cotton Mercerization on Cotton/Polyester Blends" 553
Makarewicz, P. J. Structural Rearrangements in the Liquid-Induced Crystallization of Cold-Drawn Poly(Ethylene Terephthalate) (*Wilkes*) 136
Makinson, K. Rachel Bilateral Differentiation in the Cuticle of Merino Wool Fibers 598
Makishima, Kunio Estimation of Fiber Orientation and Length in Fiber Assemblies (*Komori*) 309
Malatesh, S. Effect of Construction and Weave on Some Mechanical Properties of Untreated and Resin-Treated Cotton Fabrics (*Mehta, Gupta, Bhatt, Somashekar, Modi*) 512
Mares, F. Modification of Fiber Surfaces by Monomeric Additives. Part II: Absorbtion of Fluorocarbon Additives by Polyethylene Terephthalate (*Oxenrider*) 218
Martin, J. Ronald The Thermal and Flammability Behavior of Polyester-Wool Blends (*Miller*) 97
Masina, Franca Recent Progress in the Stabilization of Polypropylene Fibers (*Tozzi, Cantatore*) 433
Mason, John S. Polymerization-Crosslinking of N-Methylolacrylamide in Cotton Fabric (*Rowland, Blouin*) 73
Enhanced DP Finishing of Cotton with Dimethyloldihydroxyethyleneurea and a Metal Acrylate-Type Monomer (*Rowland*) 625
McKern, N. M. Sequence Homologies in Helical Segments from α-Keratin (*Crewther, Gough, Inglis*) 160
Mehta, H. U. Effect of Construction and Weave on Some Mechanical Properties of Untreated and Resin-Treated Cotton Fabrics (*Gupta, Bhatt, Somashekar, Modi, Malatesh*) 512
Meiser, Charles H., Jr. Heat Emission from Burning Fabrics; Potential Harm Ranking (*Miller*) 238
Mercier, J.-C. Rapid Quantitative Microanalysis of Multicomponent Fiber Mixtures in Fabrics (*Clark, Lambert*) 442
Meyers, C. A. Sonic Fineness Testing of Scoured Half-Inch Wool Cores for Average Fiber Diameter (*Reals, Padgett*) 300
Miller, Bernard The Thermal and Flammability Behavior of Polyester-Wool Blends (*Martin*) 97
Liquid Transport Through Fabrics; Wetting and Steady-State Flow. Part I: A New Experimental Approach (*Clark*) . . 150
Heat Emission from Burning Fabrics; Potential Harm Ranking (*Meiser*) 238
Liquid Transport Through Fabrics; Wetting and Steady-State Flow. Part II: Fabric Wetting (*Clark*) 256
Mittal, S. C. The Mechanical Properties of Textured Polyethylene Terephthalate Yarn (*Gupta, Gupta*) 446
Modi, C. A. Effect of Construction and Weave on Some Mechanical Properties of Untreated and Resin-Treated Cotton Fabrics (*Mehta, Gupta, Bhatt, Somashekar, Malatesh*) 512
Mohamed, M. H. The Selected Physical and Hand Properties of Latex-Bonded Nonwovens (*Paek*) 281
Mollah, M. Thermo-Induced Electric Current from Viscose Rayon Sandwiched Between Metal Electrodes (*Pillai*) 671
Morris, M. A. End-Use Performance and Consumer Acceptance of Denim Fabrics Woven from Open-End and Ring-Spun Yarns (*Prato*) 177
Morsi, A. M. Phosphorylation of Nylon 6 (*El Garf, El Mehy, Abou Steet*) 550
Mousa, A. H. N. Analysis of the Effect of Size Formulation Variations on Yarn Tenacity and Elongation 713
Mukherjee, A. K. Changes in Molecular Size and Size Distribution and Their Effects on Mechanical Properties of Nylon-6 Yarns During Texturizing (*Bhattacharya, Sengupta*) 261
Mechano-Chemical Effects During Texturization of Nylon 6 (*Bhattacharya, Sengupta*) 325
Mullikin, R. A. Spinning Performance and Yarn Properties of Cotton-Polyester Blends (*Bargeron, Perkins, Ross*) 44
Munshi, V. G. A New Method for the Determination of Yarn Hairiness by Digital Fibrograph (*Pai*) 697
Murray, Michael F. Effect of Cotton Fiber Fineness and Strength on Mechanical Processing and Open-End Spinning and Yarn Properties (*Simpson*) 270

Nadiger, G. S. Effect of Nitrogen Plasma on the Morphology and Allied Textile Properties of Tasar Silk Fibers and Fabrics (*Bhat*) 685
Nakao, T. Torsional Rotation of Cotton Fibers Caused by Changing Ambient Humidity (*Tsuji, Shimada, Kawamura*) 453
Needles, Howard L. The Effect of Tetrakis(hydroxymethyl) phosphonium Chloride (THCP) on Photo-Induced Vapor-Phase Grafting of Monomers on Wool and on the Subsequent Properties of the Grafted Wool (*Alger, Tai*) 123
Electron-Beam-Induced Graft Polymerization of an Oligomeric Vinyl Phosphonate on Wool 506
Neelakantan, P. Reply to Comments (by *Verschraege, Fransen, and Raes*) 432
Nigam, J. K. Evaluation of the Knittability of Synthetic Textured Yarns 562

Ogata, N. Change of Lateral Force in Nylon-6 Yarns (*Yoshida*) 542
Ohe, Hideo Antimony-Chlorine Synergistic Effects on the Oxygen Index of Chlorine-Containing Polymers (*Takiyama, Takamoto*) 305
O'Meara, D. J. Electrical Stimulation of Fabric Filtration. Part II: Mechanism of Particle Capture and Trials with a Laboratory Baghouse (*Lamb, Costanza*) 566
Oswald, H. J. Rotating Knife-Edge Crimping (*Li, Prevorsek, Lamb*) 591
Otterburn, Michael S. The Estimation of the Covalent Chlorotriazinyl Dye-Wool Interaction (*Asquith, Kwok*) 1
Oxenrider, B. C. Modification of Fiber Surfaces by Monomeric Additives. Part II: Absorption of Fluorocarbon Additives by Polyethylene Terephthalate (*Mares*) 218

Padgett, K. L. Sonic Fineness Testing of Scoured Half-Inch Wool Cores for Average Fiber Diameter (*Reals, Meyers*) 300
Paek, Soae L. The Selected Physical and Hand Properties of Latex-Bonded Nonwovens (*Mohamed*) 281
Response Profiles of Flame-Retardant Fabric Hand 487
Pai, S. B. A New Method for the Determination of Yarn Hairiness by Digital Fibrograph (*Munshi*) 697

Palm, William E. Acylation of Cotton Fabric with Isopropenyl Stearate (*Silbert, Serota, Maerker, Phillips*) 422
Paul, D. R. Time-Lag Technique of Diffusion-Coefficient Measurement in Solution Spinning (*Wu*) 230
Pepperman, A. B. Equilibrium Measurements for the Reactions of Phosphorus Amides with Formaldehyde (*Constant, Vail*) 557
Perkins, H. H., Jr. Spinning Performance and Yarn Properties of Cotton-Polyester Blends (*Bargeron, Mullikin, Ross*) 44
Implications of Monosaccharides in Sticky-Cotton Processing. Part II: Effects of Growing Conditions on Fiber Contaminants (*Roberts, Cheung*) 91
Phillips, J. G. Acylation of Cotton Fabrics with Isopropenyl Stearate (*Silbert, Serota, Maerker, Palm*) 422
Phoenix, S. L. Mechanical Response of a Tubular Braided Cable with an Elastic Core 81
Pillai, P. K. C. Thermo-Induced Electric Current from Viscose Rayon Sandwiched Between Metal Electrodes (*Mollah*) . . . 671
Piwowarska, Grażyna Blending Irregularity in Blended Yarns (*Żurek*) 528
Poole, Hardy B. The Dimensions of 1X1 Rib Fabrics. Part I: Literature Survey (*Brown*) 339
Part II: Blend and Treatment Interactions (*Brown*) 371
Postle, Ronald An Analysis of the Bending and Shear Properties of Woven, Double-Knitted, and Warp-Knitted Outerwear Fabrics (*Gibson*) 14
Maturity and Dynamic Elastic Modulus of Cotton Fibers (*Woo*) 68
A General Energy Analysis of Fabric Mechanics Using Optimal Control Theory (*de Jong*) 127
Prato, H. H. End-Use Performance and Consumer Acceptance of Denim Fabrics Woven from Open-End and Ring-Spun Yarns (*Morris*) 177
Prevorsek, D. C. Rotating Knife-Edge Crimping (*Li, Oswald, Lamb*) 591

Raes, G. Comments on: "The Ideal Cotton Fiber Strength and its Relation to Observed Strength, Maturity, and Fineness" (*Verschraege, Fransen*) 431
Ravindranathan, A. V. Translation of Strength from Single Yarn to Two-Fold Yarn and from Multiple Strands to Fabric with Polyester, Cotton, and Polyester/Cotton Blends (*Balasubramanian*) 389
Ray, P. K. The Crystallite Orientation in Jute Fiber as Obtained from Meridional and Equatorial X-Ray Reflections 573
The Luster of Jute Fiber in Relation to its Fine Structure (*Bag*) 710
Reals, H. C. Sonic Fineness Testing of Scoured Half-Inch Wool Cores for Average Fiber Diameter (*Meyers, Padgett*) 300
Reinhardt, Robert M. Aluminum Salt Catalysts in Durable-Press Finishing Treatments (*Kullman*) 320
Ribnick, A. S. Interactions of Nonaqueous Solvents with Textile Fibers. Part X: Effects of Thermal History on Polyester-Solvent Interactions (*Weigmann, Scott*) 4
Roberts, C. W. Implications of Monosaccharides in Sticky-Cotton Processing. Part II: Effects of Growing Conditions on Fiber Contaminants (*Cheung, Perkins*) 91
Ross, J. E. Spinning Performance and Yarn Properties of Cotton-Polyester Blends (*Bargeron, Perkins, Mullikin*) 44
Rowland, Stanley P. Polymerization-Crosslinking of N-Methylolacrylamide in Cotton Fabric (*Blouin, Mason*) 73
Prepolymers of Chloroalkyl Phosphonates and Polyethylenimine as Flame Retardants for Cotton-Containing Fabrics (*Bertoniere*) 385
Burning Rates of Layered Combinations of Flame-Retardant and Untreated Cotton (*Hobart*) 437
Enhanced DP Finishing of Cotton with DMDHEU and a Metal Acrylate-Type Monomer (*Mason*) 625
N-Methylolpolyethyleneureas—Reagents Yielding DP Cotton Fabrics with Improved Retention of Strength-Abrasion Resistance (*Bertoniere, Black*) 664
Ruppenicker, George F., Jr. Effects of Processing Variables on the Properties of Cotton Knitting Yarns (*Lee*) 27
Rush, J. L. Studies on the Ozone Fading of Anthraquinone Dyes on Nylon Fibers. Part II: In-Service Performance (*Haylock*) 143

Sadek, M. Studies on Feltproofing of Wool with a Copper Sulfate-Hydrogen Peroxide System (*Kantouch, Bendak*) 523
Studies on the Shrink-Resist Treatment of Wool with Potassium Permanganate (*Kantouch, Bendak*) 619
Sarma, T. S. Hydrophilicity of Textile Fibers (*Madan, Dave, Das*) 662
Sawyer, L. C. Fiber Crimp Characterization by Image Analysis (*Chen*) 244
Schmidt, H. M. Ozone Fading of Disperse Blue 3 on Nylon 6 Fibers. The Influence of Physical Fiber Properties (*Heuvel, Huisman*) 376
Schwartz, Daniel Micro Determination of a Low Degree of Stearoyl Substitution in Partially-Stearoylated Cotton Fabric (*Silbert, Serota*) 427
Scott, M. G. Interactions of Nonaqueous Solvents with Textile Fibers. Part X: Effects of Thermal History on Polyester-Solvent Interactions (*Weigmann, Ribnick*) 4
Sengupta, A. K. Changes in Molecular Size and Size Distribution and Their Effects on Mechanical Properties of Nylon-6 Yarns During Texturizing (*Bhattacharya, Mukherjee*) 261
Mechano-Chemical Effects During Texturization of Nylon 6 (*Bhattacharya, Mukherjee*) 325
Studies on Texturing of α and γ Forms of Nylon 6 (*Gulrajani, Subramaniam, Chaudhry*) 411
Serota, Samuel Acylation of Cotton Fabric with Isopropenyl Stearate (*Serota, Maerker, Palm, Phillips*) 422
Micro Determination of a Low Degree of Stearoyl Substitution in Partially-Stearoylated Cotton Fabric (*Schwartz, Silbert*) . . 427
Shanahan, W. J. Characterizing the Elastic Behavior of Textile Fabrics in Complex Deformations (*Lloyd, Hearle*) 495
Shimada, E. Torsional Rotation of Cotton Fibers Caused by Changing Ambient Humidity (*Tsuji, Nakao, Kawamura*) . . . 453
Silbert, Leonard S. Acylation of Cotton Fabric with Isopropenyl Stearate (*Serota, Maerker, Palm, Phililps*) 422
Micro Determination of a Low Degree of Stearoyl Substitution in Partially-Stearoylated Cotton Fabric (*Schwartz, Serota*) . . 427
Simpson, Jack Effect of Cotton Fiber Fineness and Strength on Mechanical Processing and Open-End Spinning and Yarn Properties (*Murray*) 270
Smith, Steven C. Observations of Deformation and Failure Processes in Fiber-Loop Tests (*Lau, Backer*) 104
Somashekar, T. H. Effect of Construction and Weave on Some Mechanical Properties of Untreated and Resin-Treated Cotton Fabrics (*Mehta, Gupta, Bhatt, Modi, Malatesh*) 512
Sparrow, J. T. A SEM Study of Abrasion Damage to Cotton Fibers (*Dweltz*) 633
Stephens, S. G. An Apparent Relation Between the Spiral Angle ϕ, the Percent Elongation E_1, and the Dimensions of the Cotton Fiber 407
Subramaniam, M. Studies on Texturing of α and γ Forms of Nylon 6 (*Gulrajani, Sengupta, Chaudhry*) 411
Święch, Teresa Experimentally-Determined *vs.* Theoretical Values of Roving Strength 637

Tai, Anne The Effect of Tetrakis(hydroxymethyl)phosphonium Chloride (THCP) on Photo-Induced Vapor-phase Grafting of Monomers on Wool and on the Subsequent Properties of the Grafted Wool (*Needles, Alger*) 123
Takamoto, Soichi Antimony-Chlorine Synergistic Effects on the Oxygen Index of Chlorine-Containing Polymers (*Ohe, Takiyama*) 303
Takiyama, Soichiro Antimony-Chlorine Synergistic Effects on the Oxygen Index of Chlorine-Containing Polymers (*Ohe, Takamoto*) 303
Taylor, Robert A. Development of a Method to Measure Cotton Spinnability (*Graham*) 286
Thomas, B. L. A Simple Technique for Measuring the Textural Properties of Carpets (*Carnaby*) 234
Tozzi, Antonio Recent Progress in the Stabilization of Polypropylene Fibers (*Cantatore, Masina*) 433
Trbojevic-Gobac, S. Property Modifications of Cotton Fabric After Radiation-Induced Grafting of Vinyl Monomers 681
Tripp, Verne W. Chemical Composition of Cotton-Processing Dusts (*Brown, Wall, Berni*) 355
Tsuji, W. Torsional Rotation of Cotton Fibers Caused by Changing Ambient Humidity (*Shimada, Nakao, Kawamura*) . . . 453

Vail, S. L. Equilibrium Measurements for the Reactions of Phosphorus Amides with Formaldehyde (*Constant, Pepperman*) 557
Verburg, Gerald B. Ammoniation of Wet Fabric in the THPOH-NH_3 Process (*Harper, Cashen*) 536
Verschraege, L. Comments on: "The Ideal Cotton Fiber Strength and its Relation to Observed Strength, Maturity, and Fineness" (*Fransen, Raes*) 432
Vigo, J. P. Utilizing Mini-Computers to Predict Yarn Performance in the Open-End Staple Viscose Spinning Process (*Barella*) 473
Vigo, Tyrone L. Permox—A Hydrogen Peroxide-Zinc Acetate Antibacterial Finish for Cotton (*Danna, Welch*) 173
Vlatković, M. Property Modifications of Cotton Fabric After Radiation-Induced Grafting of Vinyl Monomers (*Trbojević-Gobac*) 681
von Orelli, J. Optimization of Dyestuff Fixation of Cellulosic Prints Under Saturated Steam Conditions (*Ateya*) 616

Wade, R. H. X-Ray Diffraction, Thermal, and Physical Studies of Complexes of Cellulose with Secondary Diamines (*Creely, French*) 37
Complexes of Cellulose with Cyclic Amines and Diamines (*Creely*) 335
Wall, James H. Chemical Composition of Cotton-Processing Dusts (*Brown, Berni, Tripp*) 355
Wallenberger, F. T. The Effect of Absorbed Water on the Properties of Cotton and Fibers from Hydrophilic Polyester Block Copolymers 577
Walsh, W. K. Electron Beam Fixation of a Flame Retardant Applied Without Water by Coating Methods. Fabric Properties and Bilateral Distribution of the Flame Retardant in the Cotton Fibers (*Bittencourt, Ennis*) 657

Waly, A. I. Studies on Cellulose Carbamate. Part I: Reaction of Cellulose Carbamate with Aromatic Amines (*Hebeish, Abou-Zeid, El-Alfy*) 468
Waters, Peter J. The Effect of Phenylbenzotriazole Derivatives on the Photoyellowing of Wool (*Evans*) 251
Weigmann, H.-D. Interactions of Nonaqueous Solvents with Textile Fibers. Part X: Effects of Thermal History on Polyester-Solvent Interactions (*Scott, Ribnick*) 4
Welch, Clark M. Permox—A Hydrogen Peroxide-Zinc Acetate Antibacterial Finish for Cotton (*Danna, Vigo*) 173
Wentz, Manfred Sorption of Solubilized Water by Cellulose from Perchloroethylene (*Cates*) 166
Wesley, J. L. A Continuous Monitor of Yarn Uniformity During Melt Spinning (*Davis, Gorman*) 329
Wiles, D. M. Photochemical Deterioration of Flame-Retarded Polyester Fabrics. Part I: Effect of Xenon-Arc Irradiation on the Physical Properties (*Day*) 32
Chromic Acid Etching of Polypropylene Filaments (*Garton, Carlsson*) 115
Wilkes, G. L. Structural Rearrangements in the Liquid-Induced Crystallization of Cold-Drawn Poly(Ethylene Terephthalate) (*Makarewicz*) 136
Wilshire, John F. K. Fiber-Reactive Polymethine Dyes Containing the *N*-2,3-Dibromopropionyl and *N*-Chlorodifluoropyrimidyl Groups (*Gale*) 548
Woo, J. L. Maturity and Dynamic Elastic Modulus of Cotton Fibers (*Postle*) 68
Wu, W. Time-Lag Technique of Diffusion-Coefficient Measurement in Solution Spinning (*Paul*) 230
Yang, Shok-Keng Breaking Strength of a Bundle of Fibers (*Yang*) 306
Yang, Wen-Long Breaking Strength of a Bundle of Fibers (*Yang*) 306
Yoshida, K. Change of Lateral Force in Nylon-6 Yarns (*Ogata*) 542
Żurek, Witold Blending Irregularity in Blended Yarns (*Piwowarska*) 528

SUBJECT INDEX

Abrasion Damage
to cotton fibers: a SEM study of *Dweltz, Sparrow* 633
Acylation
of cotton fabric: with isopropenyl stearate *Silbert, Serota, Maerker, Palm, Phillips* 422
Adsorption
of polyacrylate latex: on wool *Feldtman, Fleischfresser* . . 277
Aluminum Alums
in crosslink finishing: catalysts from *Andrews, Frick* . . . 50
Aluminum Salt Catalysts
in DP finishing treatments: *Kullman, Reinhardt* 320
Amines
and diamines: cyclic: complexes of cellulose with *Creely, Wade* 335
Ammoniation
of wet fabric: in the THPOH-NH_3 process *Harper, Verburg, Cashen* 536
Anthraquinone Dyes
studies on ozone fading of: on nylon fibers. Part II: in-service performance *Haylock, Rush* 143
Antibacterial Finish
for cotton: Permox—a hydrogen peroxide-zinc acetate product *Danna, Vigo, Welch* 173
Aromatic Amines
reacted with cellulose carbamates: study of mechanisms *Hebeish, Waly, Abou-Zeid, El-Alfy* 468

Blended Yarns
blending irregularities in: two methods of fiber-composition analysis *Żurek, Piwowarska* 528
Blends
yarns and fabrics: translation of strength from single to two-fold yarn, and from multiple strands to fabrics *Ravindranathan, Balasubramanian* 389
Blends, Cotton/Polyester
effect of cotton mercerization on: comments on earlier article *Maji* 553
Breaking Strength
of a bundle of fibers: *Yang, Yang* 306
Breaking-Twist-Angle Measurements
in wool fibers: under alkaline conditions as a function of temperature *Ellison, Lundgren* 692
Burning Fabrics
heat emission from: potential harm ranking *Miller, Meiser* 238
Burning Rates
of layered combinations of cotton: flame-retardant and untreated *Hobart, Rowland* 437

Cable, Tubular Braided
mechanical response of: with elastic core *Phoenix* 81
Carpets
in installations: dimensional stability in. Part II: stability to change in ambient humidity *Gentry* 156
textural properties of: simple technique for measuring *Carnaby, Thomas* 234
Catalysts
from aluminum alums: in crosslink finishing *Andrews, Frick* 50
Cellulose Carbamates
studies on: Part I: reaction with aromatic amines *Hebeish, Waly, Abou-Zeid, El-Alfy* 468
Cellulose Complexes
with cyclic amines and diamines: *Creely, Wade* 335
with secondary diamines: x-ray diffraction, thermal, and physical studies of *Creely, Wade, French* 37
Cellulose, Dyes In
physical state of: study of by *p*-nitrophenol adsorption *Giles, Haslam* 490
Cellulose, Regenerated
morphology of: *Kolpak, Blackwell* 458
Cellulosic Prints
optimization of dye fixation of: under saturated stream conditions *Ateya, von Orelli* 616
Chromic Acid Etching
of polypropylene filaments: *Garton, Carlsson, Wiles* 115
Cotton
spinnability: development of a method to measure *Graham, Taylor* 286
Cotton Dust and Trash
removal of: from cotton sliver by segmental drafting *DeLuca* 343
Cotton Fabric
acylation of: with isopropenyl stearate *Silbert, Serota, Maerker, Palm, Phillips* 422
burning rates of: layered combinations of flame-retardant and untreated *Hobart, Rowland* 437
flame retardants for: prepolymers of chloroalkyl phosphonates and polyethylenimine *Bertoniere, Rowland* 385
flame-retarding: electron beam fixation of FR applied without water by coating methods *Bittencourt, Ennis, Walsh* 657
partially-stearoylated: micro determination of low degree of stearoyl substitution in *Schwartz, Silbert, Serota* 427
polymerization-crosslinking in: of N-methylolacrylamide *Rowland, Blouin, Mason* 73
property modifications of: after radiation-induced grafting of vinyl monomers *Trbojević-Gobac, Vlatković* 681
untreated and resin-treated: effect of construction and weave on some mechanical properties of *Mehta, Gupta, Bhatt, Somashekar, Modi, Malatesh* 512
Cotton Fiber
fineness and strength: effect of on mechanical processing and open-end spinning and yarn properties *Simpson, Murray* . . 270
Cotton Fiber Contaminants
effects of growing conditions on: implications of monosaccharides in sticky-cotton processing *Roberts, Cheung, Perkins* 91
Cotton Fiber Properties
spiral angle related to percent elongation and dimensions: *Stephens* 407
Cotton Fibers
abrasion damage to: a SEM study of *Dweltz, Sparrow* . . 633
differences in morphology and tensile properties: between *G. hirsutum* and *G. barbadense de Boer* 185
maturity and dynamic elastic modulus of: *Woo, Postle* 68
torsional rotation of: caused by changing ambient humidity *Tsuji, Shimada, Nakao, Kawamura* 453
under stress: studies on orientation of. Part I: preliminary studies *Kalyanaraman* 366
Part II: behavior of spiral angle and 50% x-ray angle *Kalyanaraman* 582
Cotton Finish
antibacterial: Permox—a hydrogen peroxide-zinc acetate product *Danna, Vigo, Welch* 173
Cotton Finishing
durable-press with DMDHEU and a metal acrylate-type monomer *Rowland, Mason* 625
Cotton Knitting Yarns
properties of: effects of processing variables on *Lee, Ruppenicker* 27

Cotton Mercerization
effect of on cotton/polyester blends: comments on earlier article *Maji* 553
Cotton-Polyester Blends
spinning performance and yarn properties of: *Bargeron, Perkins, Mullikin, Ross* 44
Cotton-Processing Dusts
chemical composition of: *Brown, Wall, Berni, Tripp* . . . 355
Cotton Yarn
fiber-length distribution in fly: produced during weft knitting *Brown* 162
strength prediction: in American cottons *Hafez* 701
tenacity and elongation: analysis of effect of size formulation variations *Mousa* 713
Crimping
rotating knife edge: process developed *Li, Oswald, Prevorsek, Lamb* 591
Crosslinkers
in shrink-resist polymers for wool: multifunctional amino-terminated polyurethanes: preparation and use as *Bateup, Fleischfresser* 417
Crosslink Finishing
aluminum alums in: catalysts from *Andrews, Frick* 50
Crystallization
liquid-induced: of cold-drawn PET: structural rearrangements in *Makarewicz, Wilkes* 136
Crystallization, Liquid
of thin PET films: leads to abnormal densities *Lawton, Cates* 478
Cuticular Cells
of merino wool fibers: bilateral differentiation in *Makinson* 598
Cyclic Amines and Diamines
complexes of cellulose with: *Creely, Wade* 335

Deformation
and failure processes: observations of in fiber-loop tests *Smith, Lau, Backer* 104
Denim Fabrics
end-use performance and consumer acceptance of: woven from open-end and ringspun yarns *Morris, Prato* 177
Densities, Abnormal
of thin PET films: obtained by liquid crystallization *Lawton, Cates* 478
Desorption
of cationic polymer: from human hair: surfactant and salt effects *Hannan, Goddard, Fancher* 58
Detergency
kinetics and mechanisms of: Part II: particulate soil *Kissa* 395
Diamines, Secondary
with cellulose complexes: x-ray diffraction, thermal, and physical studies of *Creely, Wade, French* 37
Diffusion Coefficient
measuring: by time-lag technique; in solution spinning *Wu, Paul* 230
Dimensional Stability
of carpets in installations: Part II: stability to change in ambient humidity *Gentry* 156
Double-Knit Fabrics
exact replication of: factors influencing. Part I: all-wool fabric *Little* 361
Part II: textured polyester *Little, Leaf, Knapton* 400
Drafting, Segmental
for removing dust and trash: from cotton sliver *DeLuca* 343
Durable-Press Cotton Fabrics
with improved strength-abrasion-resistance retention: N-methylolpolyethyleneureas used to produce *Bertoniere, Black, Rowland* 664
Durable-Press Finishing
aluminum salt catalysts: in treatments *Kullman, Reinhardt* 320
of cotton: with DMDHEU and a metal acrylate-type monomer *Rowland, Mason* 625
Dusts, Cotton-Processing
chemical composition of: *Brown, Wall, Berni, Tripp* . . . 664
Dye
Disperse Blue 3: ozone fading of on nylon 6 fibers *Heuvel, Huisman, Schmidt* 376
Dye Determination
on textile fibers: Part I: disperse dyes on PET *Madan, Khan* 481
Dye Energy
effect of: and primary heater temperature on fabric dye uniformity *Goldin* 191
Dye Fixation
optimization of: of cellulosic prints under saturated steam conditions *Ateya, von Orelli* 616
Dyes, Chlorotriazinyl
estimation of covalent dye-wool interaction: *Asquith, Kwok, Otterburn* 1
Dyes, Fiber-Reactive
basic (polymethine): containing *N*-2,3-dibromopropionyl and *N*-chlorodifluoropyrimidyl groups *Gale, Wilshire* 548
Dyes, Water-Soluble
physical state of some: in cellulose . . . by *p*-nitrophenol adsorption *Giles, Haslam* 490
Dynamic Elastic Modulus
of cotton fibers: and maturity *Woo, Postle* 68

Elastic Behavior
of textile fabrics in complex deformations: characterizing *Shanahan, Lloyd, Hearle* 495
Electric Current
thermo-induced: from viscose rayon sandwiched between metal electrodes *Pillai, Mollah* 671
Energy Analysis
general: of fabric mechanics using optimal control theory *de Jong, Postle* 127
Equilibrium Measurements
and methylol derivatives: formation not favored with formaldehyde and phosphoric amides in aqueous solutions *Constant, Pepperman, Vail* 557
Extension, Finite
of yarn: viscoelastic two-ply filament *Huang* 61

Fabric, All-Wool
double-knits: factors influencing the exact replication of *Little* 361
Fabric Deformations, Complex
elastic behavior of fabrics in: characterizing *Shanahan, Lloyd, Hearle* 495
Fabric Dye Uniformity
effected by: primary heater temperature and dye energy *Goldin* 191
Fabric Hand
assessment of: response profiles of FR fabric *Paek* 487
Fabric Luster
characterization of: *via* image analysis *Anton, Johnson, Jansson* 247
Fabric Mechanics
general energy analysis of: using optimal control theory *de Jong, Postle* 127
Fabric Stiffness
single jersey: measurement of: a simple method *Brown* . . 295
Fabrics
denim: end-use performance and consumer acceptance of, woven from open-end and ring-spun yarns *Morris, Prato* 177
liquid transport through: wetting and steady-state flow. Part I: new experimental approach *Miller, Clark* 150
Fabrics, 1X1 Rib
dimensions of: Part I: literature survey *Poole, Brown* . . . 339
Part II: blend and treatment interactions *Poole, Brown* 371
Fabrics, Outerwear
analysis of bending and shear properties: woven, double-, and warp-knitted *Gibson, Postle* 14
Fabric Wetting
liquid transport: through fabrics; wetting and steady-state flow *Clark, Miller* 256
Fatty Acids, Long-Chain
liberated by saponification: procedure for rapid microanalysis of *Schwartz, Silbert, Serota* 427
Feltproofing Wool
with copper sulfate-hydrogen peroxide system: *Kantouch, Bendak, Sadek* 523
Fiber Analysis
of multicomponent fiber mixtures in fabrics: rapid quantitative microanalysis *Clark, Lambert, Mercier* 442
Fiber Assemblies
fiber orientation and length in: estimation of *Komori, Makishima* 309
Fiber, Cotton
properties apparently related: spiral angle, elongation, guage, wall thickness *Stephens* 407
Fiber Crimp
characterization: by image analysis *Sawyer, Chen* 244
Fiber Diameter, Average
of scoured, half-inch wool cores: sonic fineness testing of for *Reals, Meyers, Padgett* 300
Fiber Fineness
relation to strength: comments on paper by Neelakantan *Verschraege, Fransen, Raes* 431
reply to comments on above paper: *Neelakantan* 432
Fiber-Length Distribution
in fly: produced during weft knitting of cotton yarns *Brown* 162
Fiber-Loop Tests
deformation and failure processes in: observations of *Smith, Lau, Backer* 104
Fiber Orientation
estimation of: and length of fiber assemblies *Komori, Makishima* 309
Fibers
bundle of: breaking strength of *Yang, Yang* 306
Fibers, Textile
nonlinear viscoelastic model for: *Kumar, Gupta* 429

Fiber Surfaces
modification of: by monomeric additives: Part II: absorption of fluorocarbon additives by PET *Mares, Oxenrider* 218
Filament Failure
under complex stresses: classification of observed damage modes and failure processes *Smith, Lau, Backer* 104
Filtration, Fabric
electrical stimulation of: Part II: mechanism of particle capture *Lamb, Costanza, O'Meara* 566
Finishing
durable-press: aluminum salt catalysts in treatments *Kullman, Reinhardt* 320
Finishing, Cotton
durable-press: with DMDHEU and a metal acrylate-type monomer *Rowland, Mason* 625
Finishing of Cotton Fabric
polymerization-crosslinking: of N-methylolacrylamide *Rowland, Blouin, Mason* 73
Flame-Retardancy of Wool
electron-beam-induced graft polymerization: of an oligomeric vinyl phosphonate *Needles* 506
Flame Retardant
fixation of: by electron beam, applied without water by coating methods *Bittencourt, Ennis, Walsh* 657
Flame-Retardant Cotton
ammoniation of wet fabric: in the THPOH-NH_3 process *Harper, Verburg, Cashen* 536
burning rates of: layered combinations of FR and untreated *Hobart, Rowland* 437
Flame-Retardant Fabric
assessing hand of: response profiles studied *Pack* 487
Flame Retardants
cellulosic: equilibrium measurements for reactions of phosphorus amides with formaldehyde *Constant, Pepperman, Vail* . . . 557
for cotton-containing fabrics: prepolymers of chloroalkyl phosphonates and polyethylenimine as *Bertoniere, Rowland* 385
Flame-Retarded Polyester Fabrics
photochemical deterioration of: Part I: effect of xenon-arc irradiation on the physical properties *Day, Wiles* 32
Flammability
of polyester/cotton fabrics: effect of reactive dyes on—also on other physical properties *Hopkins, Buchanan* 348
of THPOH-NH_3-treated wool: and wool/cotton blend fabrics by vertical-flame-test standards *Beninate, Drake* 554
Flammability Behavior
of polyester-wool blends: in terms of flaming-combustion and thermal-decomposition characteristics *Martin, Miller* 97
Fly
fiber-length distribution in: produced during weft knitting of cotton yarns *Brown* 162

Grafting
photo-induced vapor-phase of monomers on wool: effect of THPC on; and on subsequent properties of grafted wool *Needles, Alger, Tai* 123
Grafting of Vinyl Monomers
radiation-induced: onto cotton cellulose fabric. Modified physical and textile properties examined *Trbojevic-Gobac, Vlatković* 681
Graft Polymerization
of oligomeric vinyl phosphonate on wool: electron beam-induced *Needles* 506

Hairiness, Yarn
new method for determination: by digital fibrograph *Pai, Munshi* 697
Hand Properties
of latex-bonded nonwovens: and selected physical properties *Pack, Mohamed* 281
Heat Emission
from burning fabrics: potential harm ranking *Miller, Meiser* 238
Human Hair
cationic polymer from: desorption of: surfactant and salt effects *Hannan, Goddard, Faucher* 57
Humidity-Caused Changes
in cotton fibers: torsional rotation *Tsuji, Shimada, Nakao, Kawamura* 453
Hydrophilicity
in polyester block copolymers: effect of absorbed water on properties of cotton and fibers from *Wallenberger* 577
of textile fibers: using vertical wicking *Madan, Dave, Das, Sarma* 662

Image Analysis
for characterizing fiber crimp: *Sawyer, Chen* 244

Jute Fiber
crystallite orientation in: obtained from meridional and equatorial x-ray reflections *Ray* 573
luster: in relation to fine structure *Bag, Ray* 710

α-Keratin
helical segments from: sequence homoolgies in *Crewther, Gough, Inglis, McKern* 160
Keratin
properties of matrix in: Part I: compression testing technique *Bendit, Kelly* 674
Part II: the "Hookean" region in the stress-strain curve of keratins *Bendit* 717
Keratin Fibers
mechanical properties of: microfibril-matrix relationships in: Part I: torsional properties of "melted" and permanently-set fibers *Feughelman* 518
Kinetics
of detergency: by measuring soil-removal as a function of soil content of fabric *Kissa* 395
Knittability
of synthetic textured yarns: evaluation of *Nigam* 562

Latex, Polyacrylate
adsorption of: on wool *Feldtman, Fleischfresser* 277
Light Stabilization
of polypropylene fibers: recent progress in *Tozzi, Cantatore, Masina* 433
Linear Elastic Response
of tubular braided cable: with elastic core *Phoenix* . . . 81
Liquid Transport
through fabrics: wetting and steady-state flow. Part I: a new experimental approach *Miller, Clark* 150
Part II: fabric wetting *Clark, Miller* 256
Luster, Fabric
characterization of: *via* image analysis *Anton, Johnson, Jansson* 247

Maturity
of cotton fibers: and dynamic elastic modulus *Woo, Postle* 68
Measurement
in SI units: comments on use *Hearle* 305
Mechanical Properties
of outerwear fabrics: bending and shear properties *Gibson, Postle* 14
of PET yarn: textured multifilament *Gupta, Gupta, Mittal* 446
of untreated and resin-treated cotton fabrics: effect of construction and weave on *Mehta, Gupta, Bhatt, Somashekar, Modi, Malatesh* 512
Melt Spinning
yarn uniformity during: continuous monitor of *Davis, Gorman, Wesley* 329
Merino Wool Fibers
bilateral differentiation: in cuticle of *Makinson* 598
Microanalysis
rapid quantitative: of multicomponent fiber mixtures in fabrics *Clark, Lambert, Mercier* 442
Microfibril-Matrix Relationships
in mechanical properties of keratin fibers: Part I: torsional properties of "melted" and permanently-set keratin fibers *Feughelman* 518
Mini-Computers
used to predict yarn performance: in open-end staple viscose spinning process *Barella, Vigo* 473
Model
nonlinear viscoelastic: for textile fibers *Kumar, Gupta* . . 429
Molecular Size
changes in: and size distribution and effects on mechanical properties of nylon 6 yarns during texturing *Bhattacharya, Mukherjee, Sengupta* 261
Monomeric Additives
modification of fiber surfaces by: absorption of fluorocarbon additives by PET *Mares, Oxenrider* 218
Monosaccharides
implications of: in sticky cotton processing *Roberts, Cheung, Perkins* 91
Morphology
of regenerated cellulose: *Kolpak, Blackwell* 458
Multicomponent Fiber Mixtures
in fabrics: rapid quantitative microanalysis of *Clark, Lambert, Mercier* 442

Nitrogen Plasma
effect on tasar silk fibers and fabrics: *Bhat, Nadiger* . . 685
Nonaqueous Solvents
interactions of with textile fibers: Part X: effects of thermal history on polyester-solvent interactions *Weigmann, Scott, Ribnick* 4
Nonwovens
latex-bonded: selected physical and hand properties of *Pack, Mohamed* 281
Nylon Fibers
anthraquinone dyes on: studies on ozone fading of. Part II: in-service performance *Haylock, Rush* 143

Nylon 6
phosphorylation of: with DIPC *El Garf, El Mehy, Abou Steet, Morsi* . . . 550
texturing of: α and γ forms *Gulrajani, Sengupta, Subramaniam, Chaudhry* . . . 411
texturing of: mechano-chemical effects during *Bhattacharya, Sengupta, Mukherjee* . . . 325
Nylon 6 Fibers
ozone fading of Disperse Blue 3 on: influence of physical fiber properties *Heuvel, Huisman, Schmidt* . . . 376
Nylon 6 Yarns
change of lateral force in: *Ogata, Yoshida* . . . 542
mechanical properties: changes in molecular size and size distribution and effects on, during texturing *Bhattacharya, Mukherjee, Sengupta* . . . 261

Optimal Control Theory
general energy analysis of fabric mechanics using: *de Jong, Postle* . . . 127
Orientation
of cotton fibers under stress: preliminary studies on *Kalyanaraman* . . . 366
Outerwear Fabrics
bending and shear properties of: woven, double-, and warp-knitted *Gibson, Postle* . . . 14
Oxygen Index
of chlorine-containing polymers: antimony-chlorine synergistic effects on *Ohe, Takiyama, Takamoto* . . . 305
Ozone Fading
of anthraquinone dyes: on nylon fibers, studies on; Part II: in-service performance *Haylock, Rush* . . . 143
of Disperse Blue 3: on nylon 6 fibers. Influence of physical fiber properties *Heuvel, Huisman, Schmidt* . . . 376

PBI Fiber and Fabric
properties and performance: *Jackson* . . . 314
Permox
antibacterial finish for cotton: from reaction products of zinc acetate, hydrogen peroxide, and acetic acid *Danna, Vigo, Welch* . . . 173
PET Fibers
dye determination of: methods for *Madan, Khan* . . . 481
PET Fibers, Thin
liquid crystallization of: abnormal densities obtained by *Lawton, Cates* . . . 478
PET Yarn
textured: mechanical properties of: *Gupta, Gupta, Mittal* 446
Phosphorus Amides
reactions with formaldehyde: equilibrium measurements for *Constant, Pepperman, Vail* . . . 557
Phosphorylation
of nylon 6: *El Garf, El Mehy, Abou Steet, Morsi* . . . 550
Photochemical Deterioration
of flame-retarded polyester fabrics: Part I: effect of xenon-arc irradiation on physical properties *Day, Wiles* . . . 32
Photo-oxidation
mechanisms in wool: photoprotective effect of thiourea/formaldehyde treatment *Leaver* . . . 610
Photoyellowing
of wool: effect of phenylbenzotriazole derivatives on *Waters, Evans* . . . 251
Physical Properties
differences between cotton species: morphology and tensile properties of fibers of *G. hirsutum* and *G. barbadense* *de Boer* 185
Pollution control
fabric filtration: electrical stimulation of *Lamb, Costanza, O'Meara* . . . 566
Polybenzimidazole
fiber and fabric: properties and performance *Jackson* . . . 314
Polyester Block Copolymers
hydrophilic: effect of absorbed water on properties of cotton and fibers from *Wallenberger* . . . 577
Polyester/Cotton Fabrics
flammability and physical properties of: effect of reactive dyes on *Hopkins, Buchanan* . . . 348
Polyester Fabrics
flame-retarded: photochemical deterioration of *Day, Wiles* . 32
Polyester-Solvent Interaction
effects of thermal history on: interactions of nonaqueous solvents with textile fibers *Weigmann, Scott, Ribnick* . . . 4
Polyester-Wool Blends
thermal and flammability behavior: *Martin, Miller* . . . 97
Poly(Ethylene Terephthalate)
cold-drawn: structural rearrangements in liquid-induced crystallization of *Makarewicz, Wilkes* . . . 136
Polymerization-Crosslinking
of N-methylolacrylamide: in cotton fabric *Rowland, Blouin, Mason* . . . 73
Polymers, Chlorine-Containing
oxygen index of: antimony-chlorine synergistic effects on *Ohe, Takiyama, Takamoto* . . . 303

Polypropylene Fibers
stabilization of: recent progress in *Tozzi, Cantatore, Masina* 433
Polypropylene Filaments
chromic acid etching of: morphological changes studied *Garton, Carlsson, Wiles* . . . 115
Polyurethanes
multifunctional amino-terminated: preparation and use as crosslinkers in shrink-resist polymers for wool *Bateup, Fleischfresser* . . . 417
Prepolymers
of chloroalkyl phosphonates and polyethylenimine: as flame retardants for cotton *Bertoniere, Rowland* . . . 385
Primary Heater Temperature
effect of: and dye energy on fabric dye uniformity *Goldin* 191
Processing Variables
effects of: on properties of cotton knitting yarns *Lee, Ruppenicker* . . . 27

Reactive Dyes
effect on flammability: and physical properties of polyester/cotton fabrics *Hopkins, Buchanan* . . . 348
Relaxation Techniques
effect on rib structures: knitted from cotton and cotton-blend yarns *Poole, Brown* . . . 371
Rib Fabrics
IX1: dimensions of. Part I: literature survey *Poole, Brown* 339
Part II: blend and treatment interactions *Poole, Brown* . . . 371
Roving Strength
theories of: experimentally-determined *vs.* theoretical values of *Swieçh* . . . 637

Sequence Homologies
in helical segments: from α-keratin *Crewther, Gough, Inglis, McKern* . . . 160
Shrink-Resisting
of wool: with poly(dimethylsiloxane)-α,ω-diols and aminofunctional silane crosslinking agents. Part I: influence of silicone molecular weight *Guise, Jones* . . . 652
Part II: influence of crosslinking agent structure *Guise, Jones* 705
Shrink-Resist Treatment
of wool: with potassium permanganate *Kantouch, Bendak, Sadek* . . . 619
Silk, Tasar
fibers and fabrics: properties and morphology modified by nitrogen plasma *Bhat, Nadiger* . . . 685
SI Units
comments on use in TEXTILE RESEARCH JOURNAL: *Hearle* 305
Solubilized Water
sorption of: by cellulose from perchloroethylene *Wentz, Cates* 166
Solvents, Nonaqueous
interactions of with textile fibers: Part X: effects of thermal history on polyester-solvent interactions *Weigmann, Scott, Ribnick* . . . 4
Sorption
of solubilized water: by cellulose from perchloroethylene *Wentz, Cates* . . . 166
Spinnability
of cotton: development of a method to measure *Graham, Taylor* . . . 286
Spinning
open-end: cotton; and yarn properties: effect of cotton fiber fineness and strength on mechanical processing *Simpson, Murray* . . . 270
open-end staple viscose spinning process: using mini-computers to predict yarn performance in *Barella, Vigo* . . 473
Spinning, Melt
yarn uniformity during: continuous monitor of *Davis, Gorman, Wesley* . . . 329
Spinning Performance
of cotton-polyester blends: and yarn properties *Bargeron, Perkins, Mullikin, Ross* . . . 44
Spinning, Solution
diffusion-coefficient measurement in: using time-lag technique *Wu, Paul* . . . 230
Sticky-Cotton Processing
monosaccharides in: implications of *Roberts, Cheung, Perkins* 91
Stiffness
of single jersey fabric: measurement of: a simple method *Brown* . . . 295
Strength-Abrasion Resistance
retention of: with N-methylolpolyethyleneureas—reagents yielding DP cotton fabrics *Bertoniere, Black, Rowland* . . . 664
Strength Translation
in yarns and fabrics: polyester, cotton, and their blends: from single to two-fold yarn, and from multiple strands to fabric *Ravindranathan, Balasubramanian* . . . 389
Stress
cotton fibers under: orientation of. Part I: preliminary studies *Kalyanaraman* . . . 366
Part II: behavior of spiral angle and 50% x-ray angle *Kalyanaraman* . . . 582

Stress-Strain
in keratin specimens: technique described to determine in longitudinal and transverse compression *Bendit, Kelly* . . . 674
Part II: the "Hookean" region in the stress-strain curve of keratins *Bendit* . . . 717

Textural Properties
of carpets: simple technique for measuring *Carnaby, Thomas* 234
Textured Polyester Fabrics
double knits: factors influencing exact replication of *Little, Leaf, Knapton* . . . 400
Texturing
of nylon 6: α and γ forms *Gulrajani, Sengupta, Subramaniam, Chaudhry* . . . 411
of nylon 6: mechano-chemical effects during *Bhattacharya, Sengupta, Mukherjee* . . . 325
Texturing
of nylon-6 yarns: changes in molecular size and size distribution and their effects on mechanical properties *Bhattacharya, Mukherjee, Sengupta* . . . 261
thermoplastic yarns: mechanics of. Part VII: cyclic behavior during pin-spindle false-twist texturing *Bell, Backer* . . . 722
Texturing, Draw
transient mechanics of: in thermoplastic yarns *Brookstein, Backer* . . . 198
Texturing Yarn
with rotating knife-edge crimper: *Li, Oswald, Prevorsek, Lamb* . . . 591
Thermoplastic Yarns
transient mechanics of draw-texturing: *Brookstein, Backer* 198
THPC
effect of on photo-induced vapor-phase grafting on monomers on wool: and on subsequent properties of grafted wool *Needles, Alger, Tai* . . . 123
Time-Lag Technique
of diffusion-coefficient measurements: in solution spinning *Wu, Paul* . . . 230
Torsional Properties
of "melted" and permanently-set keratin fibers: microfibril-matrix relationships in mechanical properties *Feughelman* 518
Torsional Rotation
of cotton fibers: caused by changing ambient humidity *Tsuji Shimada, Nakao, Kawamura* . . . 453
Twist
amount in open-end yarn: determining by striped-yarn method *Louis* . . . 293

Viscose Rayon
produces thermo-induced electric current: when sandwiched between metal electrodes *Pillai, Mollah* . . . 671

Water Jet
weft insertion by: Part II: driving force on weft in vicinity of nozzle exit *Kimura, Iemoto* . . . 646
Water-Jet Loom
weft yarn insertion in: clarifying the mechanism of *Kimura, Iemoto* . . . 604
Weave Differences
effect of on mechanical properties: of untreated and resin-treated cotton fabrics *Mehta, Gupta, Bhatt, Somashekar, Modi, Malatesh* . . . 512
Weft Insertion
by water jet: Part I: flow velocity and jet configuration near nozzle exit *Kimura, Iemoto* . . . 604
Part II: driving force on weft near nozzle exit *Kimura, Iemoto* 646
Wetting
and steady-state flow: liquid transport through fabrics. Part I: new experimental approach *Miller, Clark* . . . 150
Part II: fabric wetting *Clark, Miller* . . . 256
Wool
adsorption onto fibers: of polyacrylate latex *Feldtman, Fleischfresser* . . . 277
flame-retardancy of: electron beam-induced graft polymerization of oligomeric vinyl phosphonate on wool *Needles* . . . 506
photo-induced vapor-phase grafting of monomers on: effect of THPC on; and subsequent properties on grafted wool *Needles, Alger, Tai* . . . 123
photoyellowing of: effect of phenylbenzotriazole derivatives on *Waters, Evans* . . . 251
shrink-resisting of: with poly(dimethylsiloxane)-α,ω-diols and aminofunctional silane crosslinking agents. Part I: influence of silicone molecular weight *Guise, Jones* . . . 652
Part II: influence of crosslinking agent structure *Guise, Jones* 705
shrink-resist polymers for: multifunctional amino-terminated polyurethanes: preparation and use as crosslinkers in *Bateup, Fleischfresser* . . . 417
studies on feltproofing: with copper sulfate-hydrogen peroxide system *Kantouch, Bendak, Sadek* . . . 523
Wool and Wool/Cotton Blends
flammability of: THPOH-NH_3-treated fabrics by vertical-flame-test standards *Beninate, Drake* . . . 554
Wool, Chemically-Treated
studies on shrink-resist treatment: with potassium permanganate *Kantouch, Bendak, Sadek* . . . 619
Wool Cores, Half-Inch
scoured: sonic fineness testing of for average fiber diameter *Reals, Meyers, Padgett* . . . 300
Wool-Dye Interaction
covalent chlorotriazinyl: estimation of *Asquith, Kwok, Otterburn* . . . 1
Wool Dyeing
with fiber-reactive basic (polymethine) dyes: containing *N*-2,3-dibromopropionyl and *N*-chlorodifluoropyrimidyl groups *Gale, Wilshire* . . . 548
Wool Fabric (All-Wool)
double-knits: factors influencing the exact replication of *Little* 561
Wool Fibers
breaking-twist angle and crosslinking in: under alkaline conditions as a function of temperature *Ellison, Lundgren* 692
photo-oxidation mechanisms in: photoprotective effect of thiourea/formaldehyde treatment *Leaver* . . . 610
Wool-Polyester Blends
thermal and flammability behavior of: *Martin, Miller* . . 97

Yarn
open-end: determining twist by striped-yarn method *Louis* 293
viscoelastic two-ply filament: on the finite extension of *Huang* . . . 61
Yarn, Crimping of
with rotating knife-edge: process described; properties described *Li, Oswald, Prevorsek, Lamb* . . . 591
Yarn Hairiness
new method for determination of: by digital fibrograph *Pai, Munshi* . . . 697
Yarn Properties
cotton: and open-end spinning properties: effect of fiber fineness and strength on mechanical processing *Simpson, Murray* . . 270
of cotton-polyester blends: and spinning performance *Bargeron, Perkins, Mullikin, Ross* . . . 44
Yarns, Blended
blending irregularity in: *Żurek, Piwowarska* . . . 528
Yarns, Cotton Knitting
properties of: effects of processing variabels on *Lee, Ruppenicker* . . . 27
Yarns, Textured
synthetic: knittability evaluated *Nigam* . . . 562
Yarn Strength
prediction of: in American cottons *Hafez* . . . 701
Yarn Tenacity and Elongation
effect of size formulation variations on: analysis of *Mousa* 713
Yarn Tension
change in lateral force: in nylon 6 yarns *Ogata, Yoshida* 542
Yarns, Thermoplastic
mechanics of texturing: Part VII: cyclic behavior during pin-spindle false-twist texturing *Bell, Backer* . . . 722
transient mechanics of draw texturing: *Brookstein, Backer* 198
Yarn Uniformity
continuous monitor of: during melt spinning *Davis, Gorman, Wesley* . . . 329